

Specifications



Eaton 640012FULL-0033X

Eaton, Alarms & signalling devices, Fulleon, Flashni Xenon sounder beacon, 24V DC, Amber lens, Deep white (FW) base (FL/AL/W/D)

General specifications

PRODUCT NAME	Eaton Flashni Audible visual alarm
CATALOG NUMBER	640012FULL-0033X
EAN	8714112069115
PRODUCT LENGTH/DEPTH	121 mm
PRODUCT HEIGHT	93 mm
PRODUCT WIDTH	93 mm
PRODUCT WEIGHT	0.33 kg
COMPLIANCES	EN

Beacons specifications

LIGHT COLOR	Amber
--------------------	-------

More additional specifications

COLOR HOUSING	White
----------------------	-------

LENS COLOR	Orange
-------------------	--------

COMPATIBLE WITH AMAZON ALEXA	NO
---	----

COMPATIBLE WITH APPLE HOMEKIT	NO
--	----

COMPATIBLE WITH GOOGLE ASSISTANT	NO
---	----

DEGREE OF PROTECTION	IP65
-----------------------------	------

ELECTRICITY CONSUMPTION	0.068 A
------------------------------------	---------

FOR EX-ZONE DUST	None
-------------------------	------

FOR EX-ZONE GAS	None
------------------------	------

LAMP TYPE	Xenon
------------------	-------

MOUNTING METHOD	Surface mounting
------------------------	------------------

POWER	1.63 W
--------------	--------

Fire smoke detectors specifications

CABLE ENTRY	M20 hole
--------------------	----------

Sounder beacons specifications

ADDRESSING MODE	Hard addressing
------------------------	-----------------

ALARM CURRENT - MAX	0.068 mA
----------------------------	----------

ALARM CURRENT - MIN	0.058 mA
----------------------------	----------

COLOR HOUSING	White
----------------------	-------

COMPATIBLE WITH AMAZON ALEXA	NO
---	----

COMPATIBLE WITH APPLE HOMEKIT	NO
--	----

COMPATIBLE WITH GOOGLE ASSISTANT	NO
---	----

CONSTRUCTION MATERIAL	ABS/FR
----------------------------------	--------

DEGREE OF PROTECTION	IP65
-----------------------------	------

ELECTRICITY CONSUMPTION	0.068 A
------------------------------------	---------

EN CERTIFICATION STANDARDS	EN54 Pt3 (Fire Alarm Sounders)
---------------------------------------	-----------------------------------

EN CERTIFIED TONES	6
---------------------------	---

FOR EX-ZONE DUST	None
-------------------------	------

FOR EX-ZONE GAS	None
------------------------	------

FREQUENCY SOUND SIGNAL - MAX	2.85 Kilo Hertz
---	-----------------

FREQUENCY SOUND SIGNAL - MIN	0.3 Kilo Hertz
---	----------------

HUMIDITY (NON CONDENSING) - MAX	95 %
--	------

HUMIDITY (NON CONDENSING) - MIN	0 %
--	-----

LAMP TYPE	Xenon
------------------	-------

MOUNTING METHOD	Surface mounting
------------------------	------------------

NOMINAL VOLTAGE - MAX	28 V
----------------------------------	------

NOMINAL VOLTAGE - MIN	18 V
----------------------------------	------

POWER	1.63 W
--------------	--------

PRODUCT BRANDING	Eaton
-------------------------	-------

SOUND OUTPUT	110 dB
---------------------	--------

STANDBY CURRENT	0
------------------------	---

SUITABLE FOR	Wall Mounting Ceiling Mounting
---------------------	-----------------------------------

SYSTEM TYPOLOGY	Conventional (Non-
------------------------	--------------------

	addressable)
SYSTEM WIRING	0.28 - 2.5 mm
TONES	32
TYPE OF ACOUSTIC SIGNAL	Pulse tone/continuous tone
TYPE OF ACOUSTIC SIGNAL DEVICE	Siren
TYPE OF OPTICAL SIGNAL	Flash light
VOICE TONES	No
LENS COLOR	Orange
OPERATING TEMPERATURE - MAX	55 °C
OPERATING TEMPERATURE - MIN	-10 °C
TYPE OF CURRENT	DC

Resources

CATALOGUES

[Cooper fire and voice alarm systems - Product catalogue](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

