

# Product datasheet

Specifications

## Shaft extension, TeSys Control, for V02-V2, distance 300-330mm



VZ17

### Main

Range	TeSys
Device short name	VZ
Product or component type	Shaft extension
Accessory / separate part category	Locking accessory
Product compatibility	V02...V2
Quantity per set	Set of 1

### Complementary

Mechanical interlocking	Door interlocking function
Back/door distance	300...330 mm
Length	300 mm
Cross-section height	6 mm
Cross-section width	6 mm
Net weight	75 g

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	8.000 cm
Package 1 Length	23.500 cm
Package 1 Weight	89.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	60
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.833 kg
Unit Type of Package 3	P06
Number of Units in Package 3	480
Package 3 Height	75.000 cm

---

Package 3 Width	60.000 cm
-----------------	-----------

---

Package 3 Length	80.000 cm
------------------	-----------

---

Package 3 Weight	55.964 kg
------------------	-----------

## Logistical informations

---

Country of origin	CZ
-------------------	----

## Contractual warranty

---

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 1

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant with Exemptions

SCIP Number 63dc4fbe-3f44-4801-881b-22a3bb8008d9

REACH Regulation [REACH Declaration](#)

Halogen content performance Halogen free product

PVC free Yes

## Use Again

### Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No

WEEE  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Assembly's dimensions

---

